

MEN'S HEALTH

Advancing Preventative Care



MEN'S HEALTH

Why Labcorp?

We believe in harnessing science for human good. And so we work day and night, around the world, to deliver answers for all your health questions.

When it comes to health answers, we are your source.

The average life expectancy for men in the United States is 76 years.⁴ Many of the leading causes of death among men often are a result of disease that, if detected early, could be prevented and/or managed. Some of these diseases include heart disease, cancer, and diabetes.

Routine screenings may mean early detection and prevention of diseases.

We have many options for routine screening, prevention, diagnosis, genetic testing, MD/PhD level result interpretation assistance, patient at-home screening options, and more.

We are here to partner with you to encourage men to take advantage of preventive care and take control of their health projects.



Men's Health Statistics for Prevention

Prostate Cancer

- One of the most common cancers among men in the US.²
- 1 in 9 men will be diagnosed with prostate cancer during his lifetime.²
- In 2020, the American Cancer Society estimates 191,000 new cases of prostate cancer in the United States.²

Colorectal Cancer

- In the United States, colorectal cancer is the third leading cause of cancer-related deaths in men.³
- ~90% of diagnoses occur after the age of 50.4
- Men have 4.4% chance of developing colorectal cancer over a lifetime.³

Sexually Transmitted Infections (STIs)

- Anyone who engages in any kind of sexual activity is at risk for STIs.
- Young people ages 15 to 24 account for about half of those newly infected 9
- CDC estimates that 20 million new STI diagnoses occur each year.9

Testosterone

- Male testosterone levels decrease with age.5
- ~1% decrease in testosterone per year starting at age 30. 7
- Decreased testosterone levels may impact bone mass, cognitive function, erectile function, libido, and muscle strength.⁵

Cardiovascular

- Leading cause of death for men in the United States.⁶
- Half of men who die suddenly from coronary heart disease have no previous symtoms.⁶
- 1 in every 4 men die from heart disease.6

Diabetes

- 7th leading cause of death in the United States.8
- Men account for 14 million of those individuals with type 1 and type 2 diabetes.²¹
- Number one cause of kidney failure.8

Hepatitis C

- New USPSTF guidelines recommend screening ALL adults aged 18-79 years.
- Most common bloodborne illness in the United States.¹²
- ~3.5 million people in the United States living with the disease. 12

Chronic Kidney Disease (CKD)

- Chronic kidney disease causes more deaths than prostate cancer and is the 9th leading cause of death in the United States.¹⁰
- One out of three adults are at risk for CKD, and while CKD is more common in women, (15%), about 12 percent of men have CKD.¹⁰



Visit the online Test Menu at **Labcorp.com** for full test information, including CPT codes and current specimen collection requirements.

Labcorp Test Offerings

Labcorp offers a comprehensive test menu that supports the continuum of care for men.

Test Name	Test No.
Prostate Cancer	
Prostate Specific Antigen	010322
Epi ProColon®, Septin 9 Gene Methylation Detection	481160
Colorectal Cancer	
Occult Blood, Fecal Immunoassay	182949
Sexually Transmitted Infections	
Chlamydia, Gonococcus, Genital Mycoplasma Profile, NAA, Swab	180093
Chlamydia and Gonococcus, NAA	183194
Testosterone	
Testosterone, Total, Serum	004226
Cardiovascular	
Lipid Profile with Non-HDL Cholesterol	343925
Cholesterol, Total	001065
Lipid Cascade With Reflex to Apolipoprotein B	363676
Lipid Cascade With Reflex to Lipoprotein Particle Assessment by NMR	361946
Lipid Panel	303756
Lipid Panel With LDL: HDL Ratio	235010
Lipid Panel With Total Cholesterol:HDL Ratio	221010
Diabetes	
Diabetes Risk Assessment in Asymptomatic Adults	090400
Diabetes Comorbidity Assessment	023400
Treponema pallidum (Syphilis) Screening Cascade	082345
Chlamydia, Gonococcus, and Trichomonas, NAA	183160
Chlamydia, Gonococcus, Trichomonas, HSV Types 1 and 2, NAA	188070
Chlamydia, Gonococcus, Mycoplasma genitalium, NAA, Swab	180082
Hepatitis C Virus	
Hepatitis C Virus (HCV) Antibody With Reflex to Qualitative NAA	144050
Hepatitis C Virus (HCV) Antibody With Reflex to Quantitative Real-time PCR	144045
ніу	
HIV-1/O/2 Antigen/Antibody (4th Gen) With Reflex to Supplemental Testing	083935
Chronic Kidney Disease	
Albumin/Creatinine Ratio+eGFR, Urine	140301
Albumin/Creatinine Ratio+eGFR+Basic Metabolic Panel, Urine	140302
Albumin/Creatinine Ratio+eGFR+Comprehensive Metabolic Panel, Urine	140303

Men's Health Hereditary Predispositions

While many diseases are de novo, some are known to be hereditary. For many patients with a personal or family history of cancer or certain forms of cardiac disease, screening can be key to early detection and prevention.

Genetic Counseling

Genetic counselors can deliver expert, technical genetic information in practical and useful terms. Counseling is performed by genetic counselors who are board certified by the American Board of Genetic Counseling or active candidates for certification. The genetic counselors role is to support both patients and physicians by identifying genetic risks, explaining appropriate genetic testing options, discussing the implications of the test results, and helping patients make better health care decisions.

Hereditary Cancer Testing

- Mapping of the human genome has provided medical professionals the ability to refine a patient's cancer risk through analysis of inherited mutations.
- When it comes to screening for hereditary cancer syndromes, the ability to provide information about cancer risk is important to making informed decisions regarding health care.

VistaSeq®

Patients who have personal and family medical histories that include a broad spectrum of cancers may gain a better understanding, in terms of a risk assessment, by utilizing a multi-gene test such as VistaSeq® Hereditary Cancer Panel – an assay for genetic mutations known to be associated with an increased risk of developing hereditary cancers including:


Pancreatic Cancer


Skin Cancer

- Colorectal Cancer
- Prostate Cancer
- Gastric Cancer

GeneSeq®: Cardio

Includes testing for more than 100 genetic causes of familial cardiac disease. GeneSeq®: Cardio can be a useful prognostic tool in the presence of a positive family history and symptoms of cardiomyopathy, arrhythmia, aortopathy, Noonan syndrome, RASopathies, congenital heart disease, early-onset coronary artery disease, or familial hypercholesterolemia.





Men's Health Genetic Testing

Labcorp's advanced technologies enable clinicians to detect and define diseases for more informed treatment decisions.

Labcorp Test Offerings

Test Name	Test No.
Hereditary Cancer	
BRCA1 / 2 Ashkenazi Jewish Profile (BRCAssure®)	485097
BRCA1 / 2 Comprehensive Analysis (BRCAssure®)	485030
BRCA1 / 2 Deletion / Duplication Analysis (BRCAssure®)	485050
BRCA1 Targeted Analysis (BRCAssure®)	485066
BRCA2 Targeted Analysis (BRCAssure®)	485081
MEN2: RET Gene, Sequencing Analysis (Endocrine Sciences)	504008
VistaSeq® Hereditary Cancer Panel -27 gene panel	481220
VistaSeq® Hereditary Cancer Panel Without BRCA1/2 genes	481240
VistaSeq® Breast Cancer Panel	481319
VistaSeq® High Risk Colorectal Cancer Panel	481352
VistaSeq® Endocrine Cancer Panel	481374
VistaSeq® Brain/CNS/PNS Cancer Panel	481386
VistaSeq® Pancreatic Cancer Panel	481385
VistaSeq® Renal Cell Cancer Panel	481407
Cardiac Disease	
GeneSeq®: Cardio-Familial Cardiomyopathy Profile	451432
GeneSeq®: Cardio-Familial Arrhythmia Profile	451412
GeneSeq®: Cardio-Familial Aortopathy Profile	451432
GeneSeq®: Cardio-Noonan Syndrome / RASopathies Profile	451441
GeneSeq®: Cardio-Familial Congenital Heart Disease Profile	451402
GeneSeq®: Cardio-Familial Hypercholesterolemia Profile	452040
GeneSeq®: Cardio-Early-onset Coronary Artery Disease / Familial Hypercholesterolemia Profile	451416

Visit the online Test Menu at Labcorp.com for full test information, including CPT codes and current specimen collection requirements.

Wellness at Every Age

Below is a checklist of services that are often recommended for men by age group

Ages 20-30s



Sexually transmitted infection screening: (if sexually active*) $^{\mbox{\tiny 16}}$

- Chlamydia and Gonorrhea
 - Screen 3-6 months for those at risk
 - At least annually for sexually active Men Who have Sex With Men (MSM) at sites of contact (urethra, rectum) regardless of condom use.
- Human immunodeficiency virus
 - Screen those who seek evaluation and treatment for STDs
 - At least annually for sexually active MSM if HIV status is unknown or negative and the
 patient himself or his sex partner(s) have had more than one sex partner since most
 recent HIV test
- Syphilis
 - Screen 3-6 months for those at increased risk
 - At least annually for sexually active MSM

Hepatitis C screening 11

Ages 30-50s



Cholesterol (Lipid screening) 15 Diabetes screening 18

Sexually transmitted infection screening: (if sexually active*) 16

- Chlamydia and Gonorrhea
 - Screen 3-6 months for those at risk
 - At least annually for sexually active Men Who have Sex With Men (MSM) at sites of contact (urethra, rectum) regardless of condom use.
- Human immunodeficiency virus
 - Screen those who seek evaluation and treatment for STDs
 - At least annually for sexually active MSM if HIV status is unknown or negative and the
 patient himself or his sex partner(s) have had more than one sex partner since most
 recent HIV test.
- Syphilis
 - Screen 3-6 months for those at increased risk
 - At least annually for sexually active MSM

Hepatitis C screening 11

Colorectal screening starting at 45 ¹⁹ Prostate screening 55-69 years of age ¹⁷

Ages 60s and beyond




Cholesterol (Lipid screening) 15

Diabetes screening18

Sexually transmitted infection screening: (if sexually active*) 16

- Chlamydia and Gonorrhea
 - Screen 3-6 months for those at risk
 - At least annually for sexually active Men Who have Sex With Men (MSM) at sites of contact (urethra, rectum) regardless of condom use.
- Human immunodeficiency virus
 - Screen those who seek evaluation and treatment for STDs
 - At least annually for sexually active MSM if HIV status is unknown or negative and the
 patient himself or his sex partner(s) have had more than one sex partner since most
 recent HIV test
- Syphilis
 - Screen 3-6 months for those at increased risk
 - At least annually for sexually active MSM

Hepatitis C screening ¹¹
Colorectal screening ¹⁹
Prostate screening ¹⁷17 up to 70 years of age







Men's Health

Helping Men Put Health First

References

- 1."6 Reasons Men Should Go to the Doctor + 5 Men's Health Resources." Washington National, 14 Aug. 2019, washingtonnational.com/explore/wellness/6-reasons-men-should-go-to-the-doctor-5-mens-health-resources/
- 2."Key Statistics for Prostate Cancer: Prostate Cancer Facts." American Cancer Society, www.cancer.org/cancer/prostate-cancer/about/key-statistics.html.

 3."Key Statistics for Colorectal Cancer: Colorectal Cancer Facts." American Cancer Society, www.cancer.org/cancer/colon-rectal-cancer/about/key-statistics.html.

 4.Centers for Disease Control and Prevention. 2020. Colorectal Cancer Awareness. www.cdc.gov/cancer/dcpc/resources/features/colorectalawareness/index.htm.
- 5.Bain, Jerald. "The Many Faces of Testosterone." Clinical Interventions in Aging, Volume 2, 2008, pp. 567-576., doi:10.2147/cia.s1417.
- 6. "Men and Heart Disease." Centers for Disease Control and Prevention, Centers for Disease Control and Prevention, 31 Jan. 2020, www.cdc.gov/heartdisease/men.htm.
- 7. "Testosterone Levels by Age." Healthline, 7 Nov. 2018, www.healthline.com/health/low-testosterone.
 8. "Learn about Diabetes." Centers for Disease Control and Prevention, Centers for Disease Control and Prevention, 6 Aug. 2019, www.cdc.gov/diabetes/basics/diabetes.html.
- 9. "Adolescents and Young Adults." Centers for Disease Control and Prevention, Centers for Disease Control and Prevention, 7 Dec. 2017, www.cdc.gov/std/life-stages-populations/adolescents-youngadults.htm. 10."37 Million American Adults Now Estimated to Have Chronic Kidney Disease." National Kidney Foundation, 27 Sept. 2019, www.kidney.org/news/37-million-american-adults-now-estimated-to-have-chronic-kidneydisease.
- 11.US Preventive Services Task Force. Screening for Hepatitis C Virus Infection in Adolescents and Adults: US Preventive Services Task Force Recommendation Statement. JAMA.
- 12.AASLD-IDSA: Testing, Evaluation, and Monitoring of Hepatitis C
- $13. Integris ok. com.\ 2020.\ Why\ Don't\ Men\ See\ Doctors?.\ https://integris ok.com/resources/on-your-health/2019/june/why-dont-men-see-doctors.$ 14.Duffin, Erin. "Life Expectancy in North America 2019." Statista, 20 Sept. 2019, www.statista.com/statistics/274513/life-expectancy-in-north-america/.
- 15.Centers for Disease Control and Prevention. 2020. Cholesterol Screenings. www.cdc.gov/features/cholesterol-screenings/index.html. Accessed 14 July 2020.
- 16.Centers for Disease Control and Prevention. 2020. STD Screening Recommendations 2015 STD Treatment Guidelines. www.cdc.gov/std/tg2015/screening-recommendations.htm. 14 July 2020.
- 17.Centers for Disease Control and Prevention. 2020. Should I Get Screened For Prostate Cancer?. https://www.cdc.gov/cancer/prostate/basic_info/get-screened.htm. 14 July 2020.
- 18. Standards of Medical Care in Diabetes Care 2018. American Diabetes Association. Diabetes Care. 2018;41:S1-S159.
- 19. American Cancer Society. American Cancer Society Guideline for Colorectal Cancer Screening. https://www.cancer.org/cancer/colon-rectal-cancer/detection-diagnosis-staging/acs-recommendations.html. Accessed June 5, 2018
- 20.MDwise. 2020. Male. https://www.mdwise.org/preventive/male. 14 July 2020

